

## REQUISITE CUSTOM FIELDS

- Tools > Options > Library & Folders > Manage library fields
- Add new field

### **[Format Series]** *Calculated*

Strips or replaces characters not supported by the windows file system

```
replace(replace(replace(replace(replace([Series],?),:./,)//,~),",'),*,●)
```

### **[Format Name]** *Calculated*

Strips or replaces characters not supported by the windows file system

```
replace(replace(replace(replace(replace([Name],?),:./,)//,~),",'),*,●)
```

```
replace([Name],?,)
```

```
replace([Name],:./,)
```

```
replace([Name],//,~)
```

```
replace([Name],*,●)
```

```
replace([Name],"',)
```

### **[Edition]** *String, standard edit type, enter manually*

For different releases of the same movie.

```
O:\Movies\The Gold Rush (1925)\The Gold Rush (1925) [Original Silent Version].mkv
```

```
O:\Movies\The Gold Rush (1925)\The Gold Rush (1925) [1942 Re-release].mkv
```

Eg. [Edition]=Original Silent Version

### **[Release Date]** *String, enter manually*

This is used for Series only. It is entered as the year the series was first released. For example, if a series was released in 1991 and finished in 2000, [Release Date] would be 1991. This allows us to distinguish between shows with the same name (Office, Battlestar Galactica) which have had multiple releases. This can be found on TheTVDb on the main series page, or alternatively as the date listed on IMDb.

## FIELD USE SUMMARY

[Media Sub Type]=Movie

<b>Field Name</b>	<b>Field Type</b>	<b>Edit Type</b>	<b>Comment</b>	<b>Source</b>
[Series]	Default	String	The name of the movie / title	Manual entry
[Name]	Default	String	The name of the movie / title Or the name of the extra (Trailer 1 etc)	Auto-import, Get movie/TV info [TMDb]
[Year] / [Date]	Default	Date	The original release year	Auto-import, Get movie/TV info [TMDb]
[Media Sub Type]	Default	String	Movie	Auto-import, manual entry
[Episode]	Default	Integer	For movies with parts. Enter '1', '2' etc	Manual entry
[Season]	Default	Integer	Used to specify extras: Set as 'X'	Manual entry
[Edition]	Custom	String	Used to indicate a particular release of a movie Eg. 'Original silent version' or '1942 Re-release'	Manual entry

[Media Sub Type]=TV Show

<b>Field Name</b>	<b>Field Type</b>	<b>Edit Type</b>	<b>Comment</b>	<b>Source</b>
[Series]	Default	String	The name of the series	Manual entry
[Name]	Default	String	The name of the episode Or the name of the extra (Interview etc)	Auto-import, Get movie/TV info [TheTVDb]
[Year] / [Date]	Default	Date	The original air date of the episode	Get movie/TV info [TheTVDb]
[Release Date]	Custom	String	The year the first episode was released	Manual entry (TheTVDb, IMDb)
[Media Sub Type]	Default	String	Movie	Auto-import, manual entry
[Episode]	Default	Integer	The episode number, as per TheTVDb Multiple episodes entered as '1,2' etc Specials: episode entered as per number listed on 'specials' page on TheTVDb entry If the special / extra is not listed on TheTVDb, enter The episode as 'X'	Auto-import, manual entry
[Season]	Default	Integer	The season number, as per TheTVDb Regular season numbers entered '1', '2', '3' etc DVDs (multiple episodes) entered 'DVD' Extras entered 'X' Specials entered 'S'	Auto-import, manual entry
[Network]	Custom	String	The network the show is broadcast on	Manual entry (TheTVDb)

## MOVIES

### *File Path*

O:\Film\

```
if(isequal([Season],X,1),[Format Series] /[([Year]/)]\Extras, [Format Series] /[([Year]/)])
```

### *File Name*

```
if(isequal([Season],X,1),If(IsEmpty([Episode],1),[Format Series] /[([Year]/)] - [Format Name],[Format Series] /[([Year]/)] - PadNumber([Episode], 2). [Format Name]),  
if(isequal([Edition],Unknown,7),If(IsEmpty([Episode],1),[Format Series] /[([Year]/)],[Format Series] /[([Year]/)] - Part [Episode]),If(IsEmpty([Episode],1),[Format Series] /[([Year]/)]/[([Edition]/)],[Format Series] /[([Year]/)]/[([Edition]/)] - Part [Episode])))
```

- Click on any movie > Library Tools > Rename, move, copy files
- Change the top drop-down to 'Rename' (moves files if directory changes)
- Check directories: Enter the base path you want your movies to go in (mine is O:\Film\ )
- Enter the above file path expression
- Check file name: Enter the above File Name expression
- Click 'Preset' > Save current settings as preset, and name it 'Movies'
- Now whenever you want to rename your movies you can use this preset

## Standard Movie

O:\Film\Avatar (2009)\Avatar (2009).mkv

Film

Avatar (2009)

Avatar (2009).mkv

### *File Path*

[Format Series] /[([Year]/)]

### *File Name*

[Format Series] /[([Year]/)]

## Movies with Parts

Enter the [Episode] as the part number ('1' or '2' etc)

O:\Film\Stalker (1979)\Stalker (1979) - Part 1.mkv

O:\Film\Stalker (1979)\Stalker (1979) - Part 2.mkv

Film

Stalker (1979)

Stalker (1979) - Part 1.mkv

Stalker (1979) - Part 2.mkv

### *File Path*

[Format Series] /([Year]/)

### *File Name*

[Format Series] /([Year]/) - Part [Episode]

## **Movies with Special Editions / Releases**

Enter [Edition] as the release type ('Director's Cut' or 'Original Silent Release')

O:\Film\The Gold Rush (1925)\The Gold Rush (1925) [Original Silent Version].mkv

O:\Film\The Gold Rush (1925)\The Gold Rush (1925) [1942 Re-release].mkv

Film

The Gold Rush (1925)

The Gold Rush (1925) [Original Silent Version].mkv

The Gold Rush (1925) [1942 Re-release].mkv

### *File Path*

[Format Series] /([Year]/)

### *File Name*

[Format Series] /([Year]/) /[[Edition]]/

## **Movie/DVD Extras**

Enter [Name] as the name of the extra itself ('The Making of' or 'Deleted Scenes' or 'Trailer 1')

Enter [Series] as the name of the film the extra is from (to allow it to show under that movie)

Enter [Season] as 'X' to denote it is an extra (can be useful for filtering these out of views you don't want them in)

O:\Film\Shrek 2 (2004)\Extras\Shrek 2 (2004) - Far Far Away Idol.avi

O:\Film\Shrek 2 (2004)\Extras\Shrek 2 (2004) - Making of Shrek 2.avi

Film

Shrek 2 (2004)

Extras

Shrek 2 (2004) - Far Far Away Idol.avi

Shrek 2 (2004) - Making of Shrek 2.avi

### *File Path*

[Format Series] /([Year]/)\Extras

### *File Name*

[Format Series] /([Year]/) - [Format Name]

(or if an episode is assigned:) [Format Series] /([Year]/) - [Episode]. [Format Name]

## File Path

```
If [Season] is X
    [Format Series] /([Year]/)\Extras
If [Season] is not X
    [Format Series] /([Year]/)

if(isequal([Season],X,1),[Format Series] /([Year]/)\Extras, [Format Series] /([Year]/))
```

## File Name

```
If [Season] is X
    If [Episode] is empty
        [Format Series] /([Year]/) - [Format Name]
    If [Episode] is not empty
        [Format Series] /([Year]/) - [Episode]. [Format Name]
If [Season] is not X
    If [Edition] is empty
        If [Episode] is empty
            [Format Series] /([Year]/)
        If [Episode] is not empty
            [Format Series] /([Year]/) - Part [Episode]
    If [Edition] is not empty
        If [Episode] is empty
            [Format Series] /([Year]/) /[[Edition]/]
        If [Episode] is not empty
            [Format Series] /([Year]/) /[[Edition]/] - Part [Episode]
```

(Notes...):

```
If(IsEmpty([Episode],1),[Format Series] /([Year]/) - [Format Name],[Format Series] /([Year]/) - PadNumber([Episode], 2). [Format Name])
```

-----

```
If(IsEmpty([Episode],1),[Format Series] /([Year]/),[Format Series] /([Year]/) - Part [Episode])
```

```
If(IsEmpty([Episode],1),[Format Series] /([Year]/) /[[Edition]/],[Format Series] /([Year]/) /[[Edition]/] - Part [Episode])
```

-----

```
if(isequal([Edition],Unknown,7),If(IsEmpty([Episode],1),[Format Series] /([Year]/),[Format Series] /([Year]/) - Part [Episode]),If(IsEmpty([Episode],1),[Format Series] /([Year]/) /[[Edition]/],[Format Series] /([Year]/) /[[Edition]/] - Part [Episode]))
```

-----

```
if(isequal([Season],X,1),If(IsEmpty([Episode],1),[Format Series] /([Year]/) - [Format Name],[Format Series] /([Year]/) - PadNumber([Episode], 2). [Format Name]),if(isequal([Edition],Unknown,7),If(IsEmpty([Episode],1),[Format Series] /([Year]/),[Format Series] /([Year]/) - Part [Episode]),If(IsEmpty([Episode],1),[Format Series] /([Year]/) /[[Edition]/],[Format Series] /([Year]/) /[[Edition]/] - Part [Episode])))
```

```
If(IsEmpty([Edition],2),Empty,Full)
```

## SERIES

### *File Path*

O:\Television\

```
if(isequal([Season],DVD,1),[Format Series] /([Release Date]\/)\DVD,if(isequal([Season],S,1),[Format Series] /([Release Date]\/)\Specials,if(isequal([Season],X,1),[Format Series] /([Release Date]\/)\Extras,[Format Series] /([Release Date]\/)\Season PadNumber([Season],2))))
```

### *File Name*

```
if(isequal([Season],DVD,1),[Format Series] - DVD - [Format Name], RegEx([Episode], /#^\(d+\)(?:-\(d+\))?$#/,-1)[Format Series] - sPadNumber([Season],2)ePadNumber([R1],2)IfElse(!isempty([R2]),ePadNumber([R2],2)) - [Format Name])
```

- Right click on any series episode > Library Tools > Rename, move, copy files
- Change the top drop-down to 'Rename' (moves files if directory changes)
- Check directories
- Enter the base path you want your movies to go in (mine is O:\Television\ )
- Enter the above file path expression
- Check file name
- Enter the above File Name expression
- Click 'Preset' > Save current settings as preset, and name it 'Television'
- Now whenever you want to rename your TV Shows you can use this preset

## Standard Episodes

O:\Television\Heroes (2006)\Heroes - s01e02 - Don't Look Back.mkv

Television

Heroes (2006)

Season 01

Heroes - s01e01 - Genesis.mkv

Heroes - s01e02 - Don't Look Back.mkv

[Series] is the name of the series, as on TheTVDb

[Name] is the name of the individual episode

[Episode] is the episode number as per TheTVDb

Specials, check the episode number on the 'Specials' page on TheTVDb and enter in manually

If an episode or special isn't listed on TheTVDb, enter 'X'

Multiple episodes separated by comma: '1,2' or '1,2,3' or '23,24' etc

[Season] is the season number as per TheTVDb

'S' for specials (pilot episode, specials etc)

'X' for extras (documentaries, interviews with cast etc)

'DVD' for single video files of a DVD with multiple episodes

[Release Date] is the first year a series was released.

I use this to differentiate between multiple release (Doctor Who, Battlestar Galactica, The Office)

### File Path

[Format Series] /([Release Date]/)\Season [Season]

### File Name

[Format Series] – s[Season]e[Episode] - [Format Name]

Or

Regex([Episode], /#^\d+(?:-\d+)?\$/ -1)[Format Series] -  
sPadNumber([Season],2)ePadNumber([R1],2)IfElse(!isempty([R2]),ePadNumber([R2],2)) - [Format  
Name]

## Multiple Episodes

Where [Episode]=1,2 etc

O:\Television\Heroes (2006)\Heroes - s04e01e02 - Orientation ~ Jump, Push, Fall.mkv

Television

Heroes (2006)

Season 04

Heroes - s04e01e02 - Orientation ~ Jump, Push, Fall.mkv

Heroes - s04e03 - Ink.mkv

Heroes - s04e04 - Acceptance.mkv

[Episode]

Multiple episodes separated by comma: '1,2' or '1,2,3' or '23,24' etc

### File Path

[Format Series] /([Release Date]/)\Season [Season]

### File Name

Regex([Episode], /#^\d+(?:-\d+)?\$/ -1)[Format Series] -  
sPadNumber([Season],2)ePadNumber([R1],2)IfElse(!isempty([R2]),ePadNumber([R2],2)) - [Format  
Name]

## Specials

Television

Heroes (2006)

Specials

Heroes - s00e02 - Countdown to Season 3.mkv

[Episode] for specials: check the episode number on the 'Specials' page on TheTVDb and enter in manually

If an episode or special isn't listed on TheTVDb, enter 'X'

[Season] should be 'S'

### File Path

[Format Series] /([Release Date]/)\Specials

### *File Name*

Regex([Episode], /#\^(d+)(?:-(d+))?\\$#/ , -1)[Format Series] - sPadNumber([Season],2)ePadNumber([R1],2)IfElse(!isempty([R2]),ePadNumber([R2],2)) - [Format Name]

### **Extras**

Television/Doctor Who (2005)/Extras/Doctor Who - s00e12 - Proms Special, Behind the Scenes.mkv

Television

Doctor Who (2005)

Extras

Doctor Who - s00e12 - Proms Special, Behind the Scenes.mkv

[Episode] for extras: check the episode number on the 'Specials' page on TheTVDb and enter in manually  
If an episode or special isn't listed on TheTVDb, enter 'X'  
[Season] should be 'X'

### *File Path*

[Format Series] /([Release Date])\Extras

### *File Name*

Regex([Episode], /#\^(d+)(?:-(d+))?\\$#/ , -1)[Format Series] - sPadNumber([Season],2)ePadNumber([R1],2)IfElse(!isempty([R2]),ePadNumber([R2],2)) - [Format Name]

### **DVD Files**

O:\Television\Star Wars, Clone Wars (2003)\DVD\Star Wars, Clone Wars - DVD - Volume 2.mkv

Television

Star Wars, Clone Wars (2003)

DVD

Star Wars, Clone Wars - DVD - Volume 2.mkv

[Season] should be 'DVD'  
[Name] should be the name of the DVD itself (Volume 1 or Season 3 etc)

### *File Path*

[Format Series] /([Release Date])\DVD

### *File Name*

[Format Series] - DVD - [Format Name]

## **File Name**

```
if(isequal([Season],DVD,1),[Format Series] - DVD - [Format Name], RegEx([Episode], /#^\(d+\)(?:-\(d+\))?$#/ , -1)[Format Series] -  
sPadNumber([Season],2)ePadNumber([R1],2)IfElse(!isempty([R2]),ePadNumber([R2],2)) - [Format  
Name])
```

## **File Path**

If [Season] is DVD

[Format Series] /([Release Date]/)\DVD

If [Season] is not DVD

If [Season] is S

[Format Series] /([Release Date]/)\Specials

If [Season] is not S

If [Season] is X

[Format Series] /([Release Date]/)\Extras

If [Season] is not X

[Format Series] /([Release Date]/)\Season [Season]

```
if(isequal([Season],X,1),[Format Series] /([Release Date]/)\Extras,[Format Series] /([Release  
Date]/)\Season [Season])
```

```
if(isequal([Season],S,1),[Format Series] /([Release Date]/)\Specials,if(isequal([Season],X,1),[Format  
Series] /([Release Date]/)\Extras,[Format Series] /([Release Date]/)\Season [Season]))
```

```
if(isequal([Season],DVD,1),[Format Series] /([Release Date]/)\DVD,if(isequal([Season],S,1),[Format  
Series] /([Release Date]/)\Specials,if(isequal([Season],X,1),[Format Series] /([Release  
Date]/)\Extras,[Format Series] /([Release Date]/)\Season PadNumber([Season],2))))
```